



BEEMOTOR

# PRODUCT CATALOG

QINGDAO BEEMOTOR NEW ENERGY VEHICLE CO., LTD.



ELECTRIC VEHICLES  
COOL THE EARTH BY ONE DEGREE



BEE MOTOR

CLASSIC, COMMERCIAL,  
COST-EFFECTIVE

---

# GA SERIES GOLF CARTS





Lights



Seat



Wheels




Side mirror

|                        | BM-GA2+2                                                                                     |
|------------------------|----------------------------------------------------------------------------------------------|
| Voltage                | 48V/ 60V/ 72V                                                                                |
| Motor                  | AC, 3.5KW/4KW/5KW                                                                            |
| Controller             | Fully intelligent electronic control                                                         |
| Climbing Abality       | 20%-25%                                                                                      |
| Battery                | Lead-acid/ Lithium battery                                                                   |
| Charger                | Car smart charger, 6-8hours for charger                                                      |
| Charging Input Voltage | 110V-240V~50Hz-60Hz, output 25A, customized.                                                 |
| Load Capacity          | 600KG                                                                                        |
| Seating Capacity       | 4                                                                                            |
| Length                 | 2770mm                                                                                       |
| Width                  | 1240mm                                                                                       |
| Height                 | 1850mm                                                                                       |
| Ground Clearance       | 120mm                                                                                        |
| Wheel Base             | 1650mm                                                                                       |
| Wheel Track Front/rear | 900/ 1000mm                                                                                  |
| Max Speed              | 40KM/H, 25MPH                                                                                |
| Range                  | 70-110km                                                                                     |
| Turning Radius         | 3.9m                                                                                         |
| Steering System        | Rack and pinion steering gear                                                                |
| Front Suspension       | MacPherson independent suspension                                                            |
| Rear Suspension        | Intergrated rear axle+high-strength steel plate spring+ cylindrical hydraulic shock absorber |
| Braking System         | Four wheel drum hydraulic brake, dual circuit hydraulic brake, parking brake device          |
| Braking distance       | ≤5m                                                                                          |
| Tyre                   | Aluminum alloy wheel tubeless tire                                                           |
| Standard Body Color    | Customized                                                                                   |
| Standard Seat Color    | Black, white, champagne, dark brown                                                          |

## Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color





BEEMOTOR

MULTI-PURPOSE,  
ALL-TERRAIN, CUSTOMIZABLE

---

# GD SERIES GOLF CARTS






Lights



Seat



Wheels




Side mirror

| Voltage                |
|------------------------|
| Motor                  |
| Controller             |
| Climbing Abality       |
| Battery                |
| Charger                |
| Charging Input Voltage |
| Load Capacity          |
| Seating Capacity       |
| Length                 |
| Width                  |
| Height                 |
| Ground Clearance       |
| Wheel Base             |
| Wheel Track Front/rear |
| Max Speed              |
| Range                  |
| Turning Radius         |
| Steering System        |
| Front Suspension       |
| Rear Suspension        |
| Braking System         |
| Braking distance       |
| Tyre                   |
| Standard Body Color    |
| Standard Seat Color    |

| BM-GD2+2                                                                      |
|-------------------------------------------------------------------------------|
| 48V/ 60V/ 72V                                                                 |
| AC, 4KW/5KW/7.5KW                                                             |
| Fully intelligent electronic control                                          |
| 20%-25%                                                                       |
| Lead-acid/ Lithium battery                                                    |
| Car smart charger, 6-8hours for charger                                       |
| 110V-240V~50Hz-60Hz, output 25A, customized.                                  |
| 600KG                                                                         |
| 4                                                                             |
| 3120mm                                                                        |
| 1200mm                                                                        |
| 1850mm                                                                        |
| 120mm                                                                         |
| 2430mm                                                                        |
| 940/1030mm                                                                    |
| 40KM/H, 25MPH                                                                 |
| 70-110km                                                                      |
| 3m                                                                            |
| Rack and pinion steering gear                                                 |
| MacPherson independent suspension                                             |
| Intergral rear axle                                                           |
| Self-adjusting, rear wheel mechanical drum, Foot operated parking, multi-lock |
| ≤5m                                                                           |
| Aluminum alloy wheel tubeless tire                                            |
| Customized                                                                    |
| Black, white, champagne, dark brown                                           |

# Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color



Our team comprises 6 creative designers and 20 experienced engineers, dedicated to crafting unique, practical, and high-standard golf carts for you. With Beemotor's complete high-quality supply chain and proprietary manufacturing facilities, we ensure that we can provide consumers with excellent and flexible customization solutions.

Qingdao Beemotor New Energy Vehicle Co., Ltd.  
Sales office address: Room 418, Building 5, Xinlian Tiandi,  
176 Jufeng Road, Qingdao, Shandong, China  
Website: <https://www.beemotors.com.cn>



BEE MOTOR

MULTI-PURPOSE,  
ALL-TERRAIN, CUSTOMIZABLE

---

# GE SERIES GOLF CARTS





Lights



Seat



Wheels




Side mirror

| Voltage                |
|------------------------|
| Motor                  |
| Controller             |
| Climbing Abality       |
| Battery                |
| Charger                |
| Charging Input Voltage |
| Load Capacity          |
| Seating Capacity       |
| Length                 |
| Width                  |
| Height                 |
| Ground Clearance       |
| Wheel Base             |
| Wheel Track Front/rear |
| Max Speed              |
| Range                  |
| Turning Radius         |
| Steering System        |
| Front Suspension       |
| Rear Suspension        |
| Braking System         |
| Braking distance       |
| Tyre                   |
| Standard Body Color    |
| Standard Seat Color    |

| BM-GE2+2                                                                      |
|-------------------------------------------------------------------------------|
| 48V/ 60V/ 72V                                                                 |
| AC, 4KW/5KW/7.5KW                                                             |
| Fully intelligent electronic control                                          |
| 20%-25%                                                                       |
| Lead-acid/ Lithium battery                                                    |
| Car smart charger, 6-8hours for charger                                       |
| 110V-240V~50Hz-60Hz, output 25A, customized.                                  |
| 600KG                                                                         |
| 4                                                                             |
| 3120mm                                                                        |
| 1200mm                                                                        |
| 1850mm                                                                        |
| 120mm                                                                         |
| 2430mm                                                                        |
| 940/1030mm                                                                    |
| 40KM/H, 25MPH                                                                 |
| 70-110km                                                                      |
| 3m                                                                            |
| Rack and pinion steering gear                                                 |
| MacPherson independent suspension                                             |
| Intergral rear axle                                                           |
| Self-adjusting, rear wheel mechanical drum, Foot operated parking, multi-lock |
| ≤4m                                                                           |
| Aluminum alloy wheel tubeless tire                                            |
| Customized                                                                    |
| Black, white, champagne, dark brown                                           |

# Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color



Our team comprises 6 creative designers and 20 experienced engineers, dedicated to crafting unique, practical, and high-standard golf carts for you. With Beemotor's complete high-quality supply chain and proprietary manufacturing facilities, we ensure that we can provide consumers with excellent and flexible customization solutions.

Qingdao Beemotor New Energy Vehicle Co., Ltd.  
Sales office address: Room 418, Building 5, Xinlian Tiandi,  
176 Jufeng Road, Qingdao, Shandong, China  
Website: <https://www.beemotors.com.cn>



BEEMOTOR

FASHIONABLE, HIGH-END  
CONFIGURATION, INNOVATIVE

---

# GF SERIES GOLF CARTS





Lights



Seat



Wheels




Side mirror

|                        | BM-GF2+2                                                                      |
|------------------------|-------------------------------------------------------------------------------|
| Voltage                | 48V/ 60V/ 72V                                                                 |
| Motor                  | AC, 5KW/7.5KW                                                                 |
| Controller             | Fully intelligent electronic control                                          |
| Climbing Abality       | 20%-25%                                                                       |
| Battery                | Lead-acid/ Lithium battery                                                    |
| Charger                | Car smart charger, 6-8hours for charger                                       |
| Charging Input Voltage | 110V-240V~50Hz-60Hz, output 25A, customized.                                  |
| Load Capacity          | 600KG                                                                         |
| Seating Capacity       | 4                                                                             |
| Length                 | 2810mm                                                                        |
| Width                  | 1330mm                                                                        |
| Height                 | 2000mm                                                                        |
| Ground Clearance       | 150mm                                                                         |
| Wheel Base             | 1690mm                                                                        |
| Wheel Track Front/rear | 925/997mm                                                                     |
| Max Speed              | 40KM/H, 25MPH                                                                 |
| Range                  | 70-110km                                                                      |
| Turning Radius         | 3m                                                                            |
| Steering System        | Rack and pinion steering gear                                                 |
| Front Suspension       | MacPherson independent suspension                                             |
| Rear Suspension        | Torsion beam                                                                  |
| Braking System         | Self-adjusting, rear wheel mechanical drum, Foot operated parking, multi-lock |
| Braking distance       | ≤4m                                                                           |
| Tyre                   | Aluminum alloy wheel rim/ common&off-road type                                |
| Standard Body Color    | Customized                                                                    |
| Standard Seat Color    | Black, white, champagne, dark brown                                           |

## Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color





BEE MOTOR

FASHIONABLE, HIGH-END  
CONFIGURATION, INNOVATIVE

---

# GG SERIES GOLF CARTS





Lights



Seat



Wheels



Side mirror

|                        | BM-GG2+2                                                                      |
|------------------------|-------------------------------------------------------------------------------|
| Voltage                | 48V/ 60V/ 72V                                                                 |
| Motor                  | AC, 5KW/7.5KW                                                                 |
| Controller             | Fully intelligent electronic control                                          |
| Climbing Abality       | 20%-25%                                                                       |
| Battery                | Lead-acid/ Lithium battery                                                    |
| Charger                | Car smart charger, 6-8hours for charger                                       |
| Charging Input Voltage | 110V-240V~50Hz-60Hz, output 25A, customized.                                  |
| Load Capacity          | 600KG                                                                         |
| Seating Capacity       | 4                                                                             |
| Length                 | 2810mm                                                                        |
| Width                  | 1330mm                                                                        |
| Height                 | 2000mm                                                                        |
| Ground Clearance       | 150mm                                                                         |
| Wheel Base             | 1690mm                                                                        |
| Wheel Track Front/rear | 925/997mm                                                                     |
| Max Speed              | 40KM/H, 25MPH                                                                 |
| Range                  | 70-110km                                                                      |
| Turning Radius         | 3m                                                                            |
| Steering System        | Rack and pinion steering gear                                                 |
| Front Suspension       | MacPherson independent suspension                                             |
| Rear Suspension        | Intergral rear axle                                                           |
| Braking System         | Self-adjusting, rear wheel mechanical drum, Foot operated parking, multi-lock |
| Braking distance       | ≤4m                                                                           |
| Tyre                   | Aluminum alloy wheel rim/ common&off-road type                                |
| Standard Body Color    | Customized                                                                    |
| Standard Seat Color    | Black, white, champagne, dark brown                                           |

## Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color






BEE MOTOR

FASHIONABLE, HIGH-END  
CONFIGURATION, INNOVATIVE

---

# GH SERIES GOLF CARTS





Lights



Seat



Wheels



Side mirror

| Voltage                |
|------------------------|
| Motor                  |
| Controller             |
| Climbing Abality       |
| Battery                |
| Charger                |
| Charging Input Voltage |
| Load Capacity          |
| Seating Capacity       |
| Length                 |
| Width                  |
| Height                 |
| Ground Clearance       |
| Wheel Base             |
| Wheel Track Front/rear |
| Max Speed              |
| Range                  |
| Turning Radius         |
| Steering System        |
| Front Suspension       |
| Rear Suspension        |
| Braking System         |
| Braking distance       |
| Tyre                   |
| Standard Body Color    |
| Standard Seat Color    |

| BM-GH2+2                                                                      |
|-------------------------------------------------------------------------------|
| 48V/ 60V/ 72V                                                                 |
| AC, 5KW/7.5KW                                                                 |
| Fully intelligent electronic control                                          |
| 20%-25%                                                                       |
| Lead-acid/ Lithium battery                                                    |
| Car smart charger, 6-8hours for charger                                       |
| 110V-240V~50Hz-60Hz, output 25A, customized.                                  |
| 600KG                                                                         |
| 4                                                                             |
| 2980mm                                                                        |
| 1330mm                                                                        |
| 2050mm                                                                        |
| 150mm                                                                         |
| 1690mm                                                                        |
| 940/1030mm                                                                    |
| 40KM/H, 25MPH                                                                 |
| 70-110km                                                                      |
| 3m                                                                            |
| Rack and pinion steering gear                                                 |
| MacPherson independent suspension                                             |
| Torsion beam                                                                  |
| Self-adjusting, rear wheel mechanical drum, Foot operated parking, multi-lock |
| ≤4m                                                                           |
| Aluminum alloy wheel rim/ common&off-road type                                |
| Customized                                                                    |
| Black, white, champagne, dark brown                                           |

# Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color
- 



Our team comprises 6 creative designers and 20 experienced engineers, dedicated to crafting unique, practical, and high-standard golf carts for you. With Beemotor's complete high-quality supply chain and proprietary manufacturing facilities, we ensure that we can provide consumers with excellent and flexible customization solutions.

Qingdao Beemotor New Energy Vehicle Co., Ltd.  
Sales office address: Room 418, Building 5, Xinlian Tiandi,  
176 Jufeng Road, Qingdao, Shandong, China  
Website: <https://www.beemotors.com.cn>



BEE MOTOR

STRIKE-WORTHY COMFORTABLE,  
LUXURY,STRIKE-WORTHY

---

# GI SERIES GOLF CARTS





Lights



Seat



Wheels



Side mirror

|                        | BM-G12+2                                                                            |
|------------------------|-------------------------------------------------------------------------------------|
| Voltage                | 48V/ 60V/ 72V                                                                       |
| Motor                  | AC, 4KW/5KW                                                                         |
| Controller             | Fully intelligent electronic control                                                |
| Climbing Abality       | 20%-25%                                                                             |
| Battery                | Lead-acid/ Lithium Battery                                                          |
| Charger                | Car smart charger, 6-8hours for charger                                             |
| Charging Input Voltage | 110V-240V~50Hz-60Hz, output 25A, customized.                                        |
| Load Capacity          | 600KG                                                                               |
| Seating Capacity       | 4                                                                                   |
| Length                 | 2800mm                                                                              |
| Width                  | 1250mm                                                                              |
| Height                 | 2000mm                                                                              |
| Ground Clearance       | 120mm                                                                               |
| Wheel Base             | 2430mm                                                                              |
| Wheel Track Front/rear | 950/1000mm                                                                          |
| Max Speed              | 40KM/H, 25MPH                                                                       |
| Range                  | 70-110km                                                                            |
| Turning Radius         | 2.7m                                                                                |
| Steering System        | Rack and pinion steering gear                                                       |
| Front Suspension       | Double wishbone independence suspension                                             |
| Rear Suspension        | Torsion beam                                                                        |
| Braking System         | Four wheel drum hydraulic brake, dual circuit hydraulic brake, parking brake device |
| Braking distance       | ≤4m                                                                                 |
| Tyre                   | Aluminum alloy wheel rim/ common&off-road type                                      |
| Standard Body Color    | Customized                                                                          |
| Standard Seat Color    | Black, white, champagne, dark brown                                                 |

## Vehicle Standard Accessories & Optional Accessories

- Battery (lead-acid battery/lithium battery)
  - Professional golf cart accessories, such as golf bag racks, ball washers, etc.
  - Optional luxury headrest seat
  - Optional advanced automotive audio
  - Optional one-button start device
- Optional atmosphere light
  - Optional underseat storage box & rear cargo bed
  - Customizable logo
  - Customizable body color

